



EBERLINE SERVICES

DECEMBER 21, 2012

EBERLINE ANALYTICAL CORPORATION
2030 Wright Avenue
Richmond, California 94804-3849
Phone (510) 235-2633 Fax (510) 235-0438
Toll Free (800) 841-5487
www.eberlineservices.com

December 21, 2012

Mr. Scot Fitzgerald
CH2M Hill Plateau Remediation Company
P.O. Box 1600
Mail Stop – B6-06
Richland, WA 99352

Reference: **P.O. #33677**
Eberline Analytical S2-12-011-7052, SDG H4771

Dear Mr. Fitzgerald:

Enclosed is a data report for three water samples designated under SAF No. I13-002 received at Eberline Analytical on December 4, 2012 and subsequently analyzed according to the accompanying chain-of-custody documents.

Please call if you have any questions concerning this report.

Sincerely,

Joseph Verville
Client Services Manager

NJV/

Enclosure: Case Narrative

1.0 GENERAL

CH2M Hill Plateau Remediation Company (CHPRC) Sample Delivery Group H4771 was composed of three water samples designated under SAF No. 113-002 with a Project Designation of: 100KR4(1), November 2012.

The samples were received as stated on the Chain-of-Custody documents. Any discrepancies are noted on the Eberline Analytical Sample Receipt Checklist.

2.0 ANALYSIS NOTES

2.1 Carbon-14 Analysis

No problems were encountered during the course of the analyses. The carbon-14 QC MS analysis data sheet denotes an "X" qualifier, which indicates that some data was manually entered and may need to be double checked; in this case the "added amount" was manually entered, and subsequently double checked. The results for both the original and duplicate analyses were less than their respective MDA's therefore no RPD or statistical control limit is calculated.

3.0 Case Narrative Certification Statement

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data obtained in this hard copy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."



Joseph Verville
Client Services Manager

12/21/12

Date

DECEMBER 21, 2012
EBERLINE ANALYTICAL - RICHMOND
SAMPLE DELIVERY GROUP H4771

SDG 7052
 Contact Joseph Verville

Client Hanford
 Contract No. 33677
 Case no SDG_K4771

S U M M A R Y D A T A S E C T I O N

T A B L E O F C O N T E N T S	
About this section	1
Sample Summaries	3
Prep Batch Summary	5
Work Summary	6
Method Blanks	7
Lab Control Samples	8
Duplicates	9
Matrix Spikes	10
Data Sheets	11
Method Summaries	14
Report Guides	15
End of Section	29

Joseph Verville

 Prepared by

Joseph Verville

 Reviewed by

Lab id	<u>EBRLNE</u>
Protocol	<u>CHPRC</u>
Version	<u>Ver 1.0</u>
Form	<u>DVD-TOC</u>
Version	<u>3.06</u>
Report date	<u>12/21/12</u>

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG_K4771

ABOUT THE DATA SUMMARY SECTION

The Data Summary Section of a Data Package has all data, in several useful orders, necessary for first level, routine review of the data package for a Sample Delivery Group (SDG). This section follows the Data Package Narrative, which has an overview of the data package and a discussion of special problems. It is followed by the Raw Data Section, which has full details.

The Data Summary Section has several groups of reports:

SAMPLE SUMMARIES

The Sample and QC Summary Reports show all samples, including QC samples, reported in one SDG. These reports cross-reference client and lab sample identifiers.

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches (lab groupings reflecting how work was organized) relevant to the reported SDG with information necessary to check the completeness and consistency of the SDG.

WORK SUMMARY

The Work Summary Report shows all samples and work done on them relevant to the reported SDG.

METHOD BLANKS

The Method Blank Reports, one for each Method Blank relevant to the SDG, show all results and primary supporting information for the blanks.

LAB CONTROL SAMPLES

The Lab Control Sample Reports, one for each Lab Control Sample relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

REPORT GUIDES

Page 1

SUMMARY DATA SECTION

Page 1

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

GUIDE, cont.

Client Hanford
Contract No. 33677
Case no SDG K4771

ABOUT THE DATA SUMMARY SECTION

DUPLICATES

The Duplicate Reports, one for each Duplicate and Original sample pair relevant to the SDG, show all results, differences and primary supporting information for these QC samples.

MATRIX SPIKES

The Matrix Spike Reports, one for each Spiked and Original sample pair relevant to the SDG, show all results, recoveries and primary supporting information for these QC samples.

DATA SHEETS

The Data Sheet Reports, one for each client sample in the SDG, show all results and primary supporting information for these samples.

METHOD SUMMARIES

The Method Summary Reports, one for each test used in the SDG, show all results, QC and method performance data for one analyte on one or two pages. (A test is a short code for the method used to do certain work to the client's specification.)

REPORT GUIDES

The Report Guides, one for each of the above groups of reports, have documentation on how to read the associated reports.

REPORT GUIDES

Page 2

SUMMARY DATA SECTION

Page 2

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012
EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

LAB SAMPLE SUMMARY

Client Hanford
Contract No. 33677
Case no SDG K4771

LAB	CLIENT SAMPLE ID	LOCATION	MATRIX	LEVEL	SAF NO	CHAIN OF CUSTODY	COLLECTED
S212011-01	B2MRK0	Hanford Site	WATER		I13-002	I13-002-040	11/29/12 14:01
S212011-02	B2MRY6	Hanford Site	WATER		I13-002	I13-002-058	11/30/12 11:13
S212011-03	B2MT02	Hanford Site	WATER		I13-002	I13-002-059	11/30/12 12:45
S212011-04	Lab Control Sample		WATER		I13-002		
S212011-05	Method Blank		WATER		I13-002		
S212011-06	Duplicate (S212011-01)	Hanford Site	WATER		I13-002		11/29/12 14:01
S212011-07	Spike (S212011-02)	Hanford Site	WATER		I13-002		11/30/12 11:13

LAB SUMMARY

Page 1

SUMMARY DATA SECTION

Page 3

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-LS
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

Client Hanford
Contract No. 33677
Case no SDG K4771

QC SUMMARY

QC BATCH	CHAIN OF CUSTODY	CLIENT SAMPLE ID	MATRIX	% SOLIDS	SAMPLE AMOUNT	BASIS AMOUNT	DAYS SINCE RECEIVED	LAB COLL	LAB SAMPLE ID	DEPARTMENT SAMPLE ID
7052	I13-002-040	B2MRK0	WATER		125 mL		12/04/12	5	S212011-01	7052-001
	I13-002-058	B2MRY6	WATER		125 mL		12/04/12	4	S212011-02	7052-002
	I13-002-059	B2MT02	WATER		125 mL		12/04/12	4	S212011-03	7052-003
		Method Blank	WATER						S212011-05	7052-005
		Lab Control Sample	WATER						S212011-04	7052-004
		Duplicate (S212011-01)	WATER		125 mL		12/04/12	5	S212011-06	7052-006
		Spike (S212011-02)	WATER		125 mL		12/04/12	4	S212011-07	7052-007

QC SUMMARY

Page 1

SUMMARY DATA SECTION

Page 4

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-QS
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

PREP BATCH SUMMARY

Client Hanford
Contract No. 33677
Case no SDG K4771

TEST	MATRIX	METHOD	PREPARATION ERROR		PLANCHETS ANALYZED					QUALI-		
			BATCH	2σ %	CLIENT	MORE	RE	BLANK	LCS		DUP/ORIG	MS/ORIG
Liquid Scintillation Counting												
C	WATER	Carbon 14 in Water	7741-016	10.0	3			1	1	1/1	1/1	X

Blank, LCS, Duplicate and Spike planchets are those in the same preparation batch as some Client sample.

PREP BATCH SUMMARY

Page 1

SUMMARY DATA SECTION

Page 5

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-PBS
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012
EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

LAB WORK SUMMARY

SDG 7052
 Contact Joseph Verville

Client Hanford
 Contract No. 33677
 Case no SDG K4771

LAB SAMPLE	CLIENT SAMPLE ID									
COLLECTED	LOCATION	MATRIX	SUF-							
RECEIVED	CUSTODY	SAF No	PLANCHET	TEST	FIX	ANALYZED	REVIEWED	BY	METHOD	
S212011-01	B2MRK0		7052-001	C		12/18/12	12/20/12	BW	Carbon 14 in Water	
11/29/12	Hanford Site	WATER								
12/04/12	I13-002-040	I13-002								
S212011-02	B2MRY6		7052-002	C		12/18/12	12/20/12	BW	Carbon 14 in Water	
11/30/12	Hanford Site	WATER								
12/04/12	I13-002-058	I13-002								
S212011-03	B2MT02		7052-003	C		12/18/12	12/20/12	BW	Carbon 14 in Water	
11/30/12	Hanford Site	WATER								
12/04/12	I13-002-059	I13-002								
S212011-04	Lab Control Sample		7052-004	C		12/18/12	12/20/12	BW	Carbon 14 in Water	
		WATER								
		I13-002								
S212011-05	Method Blank		7052-005	C		12/18/12	12/20/12	BW	Carbon 14 in Water	
		WATER								
		I13-002								
S212011-06	Duplicate (S212011-01)		7052-006	C		12/18/12	12/20/12	BW	Carbon 14 in Water	
11/29/12	Hanford Site	WATER								
12/04/12		I13-002								
S212011-07	Spike (S212011-02)		7052-007	C		12/18/12	12/20/12	BW	Carbon 14 in Water	
11/30/12	Hanford Site	WATER								
12/04/12		I13-002								

COUNTS OF TESTS BY SAMPLE TYPE

TEST	SAF No	METHOD	REFERENCE	CLIENT	MORE	RE	BLANK	LCS	DUP	SPIKE	TOTAL
C	I13-002	Carbon 14 in Water	C14_CHEM_LSC	3			1	1	1	1	7
TOTALS				3			1	1	1	1	7

WORK SUMMARY

Page 1

SUMMARY DATA SECTION

Page 6

Lab id EBRLNE
 Protocol CHPRC
 Version Ver 1.0
 Form DVD-LWS
 Version 3.06
 Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

7052-005

Method Blank

METHOD BLANK

SDG <u>7052</u>	Client/Case no <u>Hanford</u>	SDG <u>K4771</u>
Contact <u>Joseph Verville</u>	Contract <u>No. 33677</u>	
Lab sample id <u>S212011-05</u>	Client sample id <u>Method Blank</u>	
Dept sample id <u>7052-005</u>	Material/Matrix <u>WATER</u>	
	SAF No <u>I13-002</u>	

ANALYTE	CAS NO	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Carbon 14	14762-75-5	4.71	26	43.9	200	U	C

QC-BLANK #83073

Lab id <u>EBRLNE</u>
Protocol <u>CHPRC</u>
Version <u>Ver 1.0</u>
Form <u>DVD-DS</u>
Version <u>3.06</u>
Report date <u>12/21/12</u>

DECEMBER 21, 2012
EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

7052-004

Lab Control Sample

LAB CONTROL SAMPLE

SDG <u>7052</u>	Client/Case no <u>Hanford</u> <u>SDG K4771</u>
Contact <u>Joseph Verville</u>	Contract <u>No. 33677</u>
Lab sample id <u>S212011-04</u>	Client sample id <u>Lab Control Sample</u>
Dept sample id <u>7052-004</u>	Material/Matrix <u>WATER</u>
	SAF No <u>I13-002</u>

ANALYTE	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS TEST	ADDED pCi/L	2σ ERR pCi/L	REC %	3σ LMIS (TOTAL)	PROTOCOL LIMITS
Carbon 14	9310	130	44.3	200	C	9570	380	97	84-116	80-120

QC-LCS #83072

Lab id <u>EBRLNE</u>
Protocol <u>CHPRC</u>
Version <u>Ver 1.0</u>
Form <u>DVD-LCS</u>
Version <u>3.06</u>
Report date <u>12/21/12</u>

DECEMBER 21, 2012
EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

7052-006

B2MRK0

DUPLICATE

SDG <u>7052</u>	Client/Case no <u>Hanford</u>	SDG <u>K4771</u>
Contact <u>Joseph Verville</u>	Contract No. <u>33677</u>	
DUPLICATE	ORIGINAL	
Lab sample id <u>S212011-06</u>	Lab sample id <u>S212011-01</u>	Client sample id <u>B2MRK0</u>
Dept sample id <u>7052-006</u>	Dept sample id <u>7052-001</u>	Location/Matrix <u>Hanford Site</u> <u>WATER</u>
	Received <u>12/04/12</u>	Collected/Volume <u>11/29/12 14:01</u> <u>125 mL</u>
		Custody/SAF No <u>I13-002-040</u> <u>I13-002</u>

ANALYTE	DUPLICATE	2σ ERR	MDA	RDL	QUALI-	ORIGINAL	2σ ERR	MDA	QUALI-	RPD	3σ	DER
	pCi/L	(COUNT)	pCi/L	pCi/L	FIERS	TEST	pCi/L	(COUNT)	pCi/L	%	TOT	σ
Carbon 14	15.4	27	45.1	200	U	C	8.90	26	43.4	U	-	0.3

QC-DUP#1 83074

100KR4 (1) November 2012

Lab id <u>EBRLNE</u>
Protocol <u>CHERC</u>
Version <u>Ver 1.0</u>
Form <u>DVD-DUP</u>
Version <u>3.06</u>
Report date <u>12/21/12</u>

DECEMBER 21, 2012

EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

7052-007

B2MRY6

MATRIX SPIKE

SDG 7052

Client/Case no Hanford SDG K4771

Contact Joseph Verville

Contract No. 33677

MATRIX SPIKE

ORIGINAL

Lab sample id S212011-07

Lab sample id S212011-02

Client sample id B2MRY6

Dept sample id 7052-007

Dept sample id 7052-002

Location/Matrix Hanford Site WATER

Received 12/04/12

Collected/Volume 11/30/12 11:13 125 mL

Custody/SAF No I13-002-058 I13-002

ANALYTE	SPIKE pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS TEST	ADDED pCi/L	2σ ERR pCi/L	ORIGINAL pCi/L	2σ ERR (COUNT)	REC 3σ % (TOTAL)	LMTS (LIMITS)	PROTOCOL
Carbon 14	11400	170	63.8	200	X C	12000	480	23.1	26	95	84-116	80-120

QC-MS#2 83075

100KR4(1) November 2012

MATRIX SPIKES

Page 1

SUMMARY DATA SECTION

Page 10

Lab id EBRLNE

Protocol CHPRC

Version Ver 1.0

Form DVD-MS

Version 3.06

Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

7052-001

B2MRK0

DATA SHEET

SDG <u>7052</u>	Client/Case no <u>Hanford</u>	SDG <u>K4771</u>
Contact <u>Joseph Verville</u>	Contract No. <u>33677</u>	
Lab sample id <u>S212011-01</u>	Client sample id <u>B2MRK0</u>	
Dept sample id <u>7052-001</u>	Location/Matrix <u>Hanford Site</u>	<u>WATER</u>
Received <u>12/04/12</u>	Collected/Volume <u>11/29/12 14:01</u>	<u>125 mL</u>
	Custody/SAF No <u>I13-002-040</u>	<u>I13-002</u>

ANALYTE	CAS NO	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Carbon 14	14762-75-5	8.90	26	43.4	200	U	C

100KR4 (1) November 2012

Lab id <u>EBRLNE</u>
Protocol <u>CHPRC</u>
Version <u>Ver 1.0</u>
Form <u>DVD-DS</u>
Version <u>3.06</u>
Report date <u>12/21/12</u>

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND
SAMPLE DELIVERY GROUP H4771

7052-002

B2MRY6

DATA SHEET

SDG <u>7052</u>	Client/Case no <u>Hanford</u>	SDG <u>K4771</u>
Contact <u>Joseph Verville</u>	Contract <u>No. 33677</u>	
Lab sample id <u>S212011-02</u>	Client sample id <u>B2MRY6</u>	
Dept sample id <u>7052-002</u>	Location/Matrix <u>Hanford Site</u>	<u>WATER</u>
Received <u>12/04/12</u>	Collected/Volume <u>11/30/12 11:13</u>	<u>125 mL</u>
	Custody/SAF No <u>I13-002-058</u>	<u>I13-002</u>

ANALYTE	CAS NO	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Carbon 14	14762-75-5	23.1	26	43.0	200	U	C

100KR4(1) November 2012

Lab id <u>EBRLNE</u>
Protocol <u>CHPRC</u>
Version <u>Ver 1.0</u>
Form <u>DVD-DS</u>
Version <u>3.06</u>
Report date <u>12/21/12</u>

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

7052-003

B2MT02

DATA SHEET

SDG <u>7052</u>	Client/Case no <u>Hanford</u>	SDG <u>K4771</u>
Contact <u>Joseph Verville</u>	Contract No. <u>33677</u>	
Lab sample id <u>S212011-03</u>	Client sample id <u>B2MT02</u>	
Dept sample id <u>7052-003</u>	Location/Matrix <u>Hanford Site</u>	<u>WATER</u>
Received <u>12/04/12</u>	Collected/Volume <u>11/30/12 12:45</u>	<u>125 mL</u>
	Custody/SAF No <u>I13-002-059</u>	<u>I13-002</u>

ANALYTE	CAS NO	RESULT pCi/L	2σ ERR (COUNT)	MDA pCi/L	RDL pCi/L	QUALI- FIERS	TEST
Carbon 14	14762-75-5	21.4	27	44.0	200	U	C

100KR4 (1) November 2012

Lab id <u>EBRLNE</u>
Protocol <u>CHPRC</u>
Version <u>Ver 1.0</u>
Form <u>DVD-DS</u>
Version <u>3.06</u>
Report date <u>12/21/12</u>

DECEMBER 21, 2012
EBERLINE ANALYTICAL-RICHMOND

SAMPLE DELIVERY GROUP H4771

Test C Matrix WATER
 SDG 7052
 Contact Joseph Verville

LAB METHOD SUMMARY

CARBON 14 IN WATER

LIQUID SCINTILLATION COUNTING

Client Hanford
 Contract No. 33677
 Contract SDG K4771

RESULTS

LAB	RAW	SUF-		
SAMPLE ID	TEST FIX	PLANCHET	CLIENT SAMPLE ID	Carbon 14
Preparation batch 7741-016				
S212011-01		7052-001	B2MRK0	U
S212011-02		7052-002	B2MRY6	U
S212011-03		7052-003	B2MT02	U
S212011-04		7052-004	Lab Control Sample	ok
S212011-05		7052-005	Method Blank	U
S212011-06		7052-006	Duplicate (S212011-01)	- U
S212011-07		7052-007	Spike (S212011-02)	ok X

Nominal values and limits from method RDLs (pCi/L) 200

METHOD PERFORMANCE

LAB	RAW	SUF-	MDA	ALIQ	PREP	DILU-	YIELD	EFF	COUNT	FWHM	DRIFT	DAYS	ANAL-		
SAMPLE ID	TEST FIX	CLIENT SAMPLE ID	pCi/L	L	FAC	TION	%	%	min	keV	KeV	HELD	PREPARED	YZED	DETECTOR
Preparation batch 7741-016			2σ prep error 10.0 %		Reference Lab Notebook No. 7741-016										
S212011-01		B2MRK0	43.4	0.0300			100		50			19	12/18/12	12/18	LSC-007
S212011-02		B2MRY6	43.0	0.0300			100		50			18	12/18/12	12/18	LSC-007
S212011-03		B2MT02	44.0	0.0300			100		50			18	12/18/12	12/18	LSC-007
S212011-04		Lab Control Sample	44.3	0.0300			100		50				12/18/12	12/18	LSC-007
S212011-05		Method Blank	43.9	0.0300			100		50				12/18/12	12/18	LSC-007
S212011-06		Duplicate (S212011-01)	45.1	0.0300			100		50			19	12/18/12	12/18	LSC-007
S212011-07		Spike (S212011-02)	63.8	<u>0.0200</u>			100		50			18	12/18/12	12/18	LSC-007

Nominal values and limits from method 200 0.0300 50 180

PROCEDURES REFERENCE C14_CHEM_LSC
 CP-241 Carbon-14 in Aqueous Samples, rev 8

AVERAGES ± 2 SD MDA 46.8 ± 15.1
 FOR 7 SAMPLES YIELD 100 ± 0

Lab id EBRLNE
 Protocol CHPRC
 Version Ver 1.0
 Form DVD-LMS
 Version 3.06
 Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG_K4771

SAMPLE SUMMARY

The Sample and QC Summary Reports show all samples, including QC samples, reported in one Sample Delivery Group (SDG).

The Sample Summary Report fully identifies client samples and gives the corresponding lab sample identification. The QC Summary Report shows at the sample level how the lab organized the samples into batches and generated QC samples. The Preparation Batch and Method Summary Reports show this at the analysis level.

The following notes apply to these reports:

- * LAB SAMPLE ID is the lab's primary identification for a sample.
- * DEPARTMENT SAMPLE ID is an alternate lab id, for example one assigned by a radiochemistry department in a lab.
- * CLIENT SAMPLE ID is the client's primary identification for a sample. It includes any sample preparation done by the client that is necessary to identify the sample.
- * QC BATCH is a lab assigned code that groups samples to be processed and QCed together. These samples should have similar matrices.

QC BATCH is not necessarily the same as SDG, which reflects samples received and reported together.

- * All Lab Control Samples, Method Blanks, Duplicates and Matrix Spikes are shown that QC any of the samples. Due to possible reanalyses, not all results for all these QC samples may be relevant to the SDG. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.

REPORT GUIDES

Page 1

SUMMARY DATA SECTION

Page 15

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG K4771

PREPARATION BATCH SUMMARY

The Preparation Batch Summary Report shows all preparation batches in one Sample Delivery Group (SDG) with information necessary to check the completeness and consistency of the SDG.

The following notes apply to this report:

- * The preparation batches are shown in the same order as the Method Summary Reports are printed.
- * Only analyses of planchets relevant to the SDG are included.
- * Each preparation batch should have at least one Method Blank and LCS in it to validate client sample results.
- * The QUALIFIERS shown are all qualifiers other than U, J, B, L and H that occur on any analysis in the preparation batch. The Method Summary Report has these qualifiers on a per sample basis.

These qualifiers should be reviewed as follows:

- X Some data has been manually entered or modified. Transcription errors are possible.
- P One or more results are 'preliminary'. The data is not ready for final reporting.
- 2 There were two or more results for one analyte on one planchet imported at one time. The results in DVD may not be the same as on the raw data sheets.

Other lab defined qualifiers may occur. In general, these should be addressed in the SDG narrative.

REPORT GUIDES

Page 2

SUMMARY DATA SECTION

Page 16

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG_K4771

WORK SUMMARY

The Work Summary Report shows all samples, including QC samples, and all relevant analyses in one Sample Delivery Group (SDG). This report is often useful as supporting documentation for an invoice.

The following notes apply to this report:

- * TEST is a code for the method used to measure associated analytes. Results and related information for each analyte are on the Data Sheet Report. In special cases, a test code used in the summary data section is not the same as in associated raw data. In this case, both codes are shown on the Work Summary.
- * SUFFIX is the lab's code to distinguish multiple analyses (recounts, reworks, reanalyses) of a fraction of the sample. The suffix indicates which result is being reported. An empty suffix normally identifies the first attempt to analyze the sample.
- * The LAB SAMPLE ID, TEST and SUFFIX uniquely identify all supporting data for a result. The Method Summary Report for each TEST has method performance data, such as yield, for each lab sample id and suffix and procedures used in the method.
- * PLANCHET is an alternate lab identifier for work done for one test. It, combined with the TEST and SUFFIX, may be the best link to raw data.
- * For QC samples, only analyses that directly QC some regular sample are shown. The Lab Control Sample, Method Blank, Duplicate, Matrix Spike and Method Summary Reports detail these relationships.
- * The SAS (Special Analytical Services) Number is a client or lab assigned code that reflects special processing for samples, such as rapid turn around. Counts of tests done are lists by SAS number since it is likely to affect prices.

REPORT GUIDES

Page 3

SUMMARY DATA SECTION

Page 17

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

R E P O R T G U I D E

Client Hanford
Contract No. 33677
Case no SDG_K4771

D A T A S H E E T

The Data Sheet Report shows all results and primary supporting information for one client sample or Method Blank. This report corresponds to both the CLP Inorganics and Organics Data Sheet.

The following notes apply to this report:

- * TEST is a code for the method used to measure an analyte. If the TEST is empty, no data is available; the analyte was not analyzed for.
- * The LAB SAMPLE ID and TEST uniquely identify work within the Summary Data Section of a Data Package. The Work Summary and Method Summary Reports further identify raw data that underlies this work.

The Method Summary Report for each TEST has method performance data, such as yield, for each Lab Sample ID and a list of procedures used in the method.

- * ERRORS can be labeled TOTAL or COUNT. TOTAL implies a preparation (non-counting method) error has been added, as square root of sum of squares, to the counting error denoted by COUNT. The preparation errors, which may vary by preparation batch, are shown on the Method Summary Report.
- * A RESULT can be 'N.R.' (Not Reported). This means the lab did this work but chooses not to report it now, possibly because it was reported at another time.
- * When reporting a Method Blank, a RESULT can be 'N.A.' (Not Applicable). This means there is no reported client sample work in the same preparation batch as the Blank's result. This is likely to occur when the Method Blank is associated with reanalyses of selected work for a few samples in the SDG.

The following qualifiers are defined by the DVD system:

- U The RESULT is less than the MDA (Minimum Detectable Activity).

REPORT GUIDES

Page 4

SUMMARY DATA SECTION

Page 18

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

GUIDE , cont .

Client Hanford
Contract No. 33677
Case no SDG K4771

DATA SHEET

If the MDA is blank, the ERROR is used as the limit.

- J The RESULT is less than the RDL (Required Detection Limit) and no U qualifier is assigned.
- B A Method Blank associated with this sample had a result without a U flag and, after correcting for possibly different aliquots, that result is greater than or equal to the MDA for this sample.

Normally, B is not assigned if U is. When method blank subtraction is shown on this report, B flags are assigned based on the unsubtracted values while U's are assigned based on the subtracted ones. Both flags can be assigned in this case.

For each sample result, all Method Blank results in the same preparation batch are compared. The Method Summary Report documents this and other QC relationships.
- L Some Lab Control Sample that QC's this sample had a low recovery. The lab can disable assignment of this qualifier.
- H Similar to 'L' except the recovery was high.
- P The RESULT is 'preliminary'.
- X Some data necessary to compute the RESULT, ERROR or MDA was manually entered or modified.
- 2 There were two or more results available for this analyte. The reported result may not be the same as in the raw data.

Other qualifiers are lab defined. Definitions should be in the SDG narrative.

The following values are underlined to indicate possible problems:

- * An MDA is underlined if it is bigger than its RDL.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052

Contact Joseph Verville

Client Hanford

Contract No. 33677

Case no SDG_K4771

GUIDE, cont.

DATA SHEET

- * An ERROR is underlined if the 1.645 sigma counting error is bigger than both the MDA and the RESULT, implying that the MDA may not be a good estimate of the 'real' minimum detectable activity.
- * A negative RESULT is underlined if it is less than the negative of its 2 sigma counting ERROR.
- * When reporting a Method Blank, a RESULT is underlined if greater than its MDA. If the MDA is blank, the 2 sigma counting error is used in the comparison.

REPORT GUIDES

Page 6

SUMMARY DATA SECTION

Page 20

Lab id EBRLNE

Protocol CHPRC

Version Ver 1.0

Form DVD-RG

Version 3.06

Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG_K4771

LAB CONTROL SAMPLE

The Lab Control Sample Report shows all results, recoveries and primary supporting information for one Lab Control Sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. Refer to its Report Guide for details.
- * An amount ADDED is the lab's value for the actual amount spiked into this sample with its ERROR an estimate of the error of this amount.

An amount added is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is RESULT divided by ADDED expressed as a percent.
- * The first, computed limits for the recovery reflect:
 1. The error of RESULT, including that introduced by rounding the result prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.
 2. The error of ADDED.
 3. A lab specified, per analyte bias. The bias changes the center of the computed limits.
- * The second limits are protocol defined upper and lower QC limits for the recovery.
- * The recovery is underlined if it is outside either of these ranges.

REPORT GUIDES

Page 7

SUMMARY DATA SECTION

Page 21

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG_K4771

DUPLICATE

The Duplicate Report shows all results, differences and primary supporting information for one Duplicate and associated Original sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. This applies both to the Duplicate and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Duplicate has data for a TEST and the lab did not do this test to the Original, the Original's RESULTS are underlined.

- * The RPD (Relative Percent Difference) is the absolute value of the difference of the RESULTS divided by their average expressed as a percent.

If both RESULTS are less than their MDAs, no RPD is computed and a '-' is printed.

For an analyte, if the lab did work for both samples but has data for only one, the MDA from the sample with data is used as the other's result in the RPD.

- * The first, computed limit is the sum, as square root of sum of squares, of the errors of the results divided by the average result as a percent, hence the relative error of the difference rather than the error of the relative difference. The errors include those introduced by rounding the RESULTS prior to printing.

If this limit is labeled TOT, it includes the preparation error in the RESULTS. If labeled CNT, it does not.

This value reported for this limit is at most 999.

- * The second limit for the RPD is the larger of:

1. A fixed percentage specified in the protocol.

REPORT GUIDES

Page 8

SUMMARY DATA SECTION

Page 22

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

GUIDE, cont.

Client Hanford
Contract No. 33677
Case no SDG K4771

DUPLICATE

2. A protocol factor (typically 2) times the average MDA as a percent of the average result. This limit applies when the results are close to the MDAs.

- * The RPD is underlined if it is greater than either limit.
- * If specified by the lab, the second limit column is replaced by the Difference Error Ratio (DER), which is the absolute value of the difference of the results divided by the quadratic sum of their one sigma errors, the same errors as used in the first limit.

Except for differences due to rounding, the DER is the same as the RPD divided by the first RPD limit with the limit scaled to 1 sigma.

- * The DER is underlined if it is greater than the sigma factor, typically 2 or 3, shown in the header for the first RPD limit.

REPORT GUIDES

Page 9

SUMMARY DATA SECTION

Page 23

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG_K4771

MATRIX SPIKE

The Matrix Spike Report shows all results, recoveries and primary supporting information for one Matrix Spike and associated Original sample.

The following notes apply to this report:

- * All fields in common with the Data Sheet Report have similar usage. This applies both to the Spiked and Original sample data. Refer to the Data Sheet Report Guide for details.

If the Spike has data for a TEST and the lab did not do this test to the Original, the Original's RESULTS are underlined.

- * An amount ADDED is the lab's value for the actual amount spiked into the Spike sample with its ERROR an estimate of the error of this amount.

An amount is underlined if its ratio to the corresponding RDL is outside protocol specified limits.

- * REC (Recovery) is the Spike RESULT minus the Original RESULT divided by ADDED expressed as a percent.

- * The first, computed limits for the recovery reflect:

1. The errors of the two RESULTS, including those introduced by rounding them prior to printing.

If the limits are labeled (TOTAL), they include preparation error in the result. If labeled (COUNT), they do not.

2. The error of ADDED.

3. A lab specified, per analyte bias. The bias changes the center of the computed limits.

- * The second limits are protocol defined upper and lower QC limits

REPORT GUIDES

Page 10

SUMMARY DATA SECTION

Page 24

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

GUIDE, cont.

Client Hanford
Contract No. 33677
Case no SDG_K4771

MATRIX SPIKE

for the recovery.

These limits are left blank if the Original RESULT is more than a protocol defined factor (typically 4) times ADDED. This is a way of accounting for that when the spike is small compared to the amount in the original sample, the recovery is unreliable.

* The recovery is underlined (out of spec) if it is outside either of these ranges.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

REPORT GUIDE

Client Hanford
Contract No. 33677
Case no SDG_K4771

METHOD SUMMARY

The Method Summary Report has two tables. One shows up to five results measured using one method. The other has performance data for the method. There is one report for each TEST, as used on the Data Sheet Report.

The following notes apply to this report:

- * Each table is subdivided into sections, one for each preparation batch. A preparation batch is a group of aliquots prepared at roughly the same time in one work area of the lab using the same method.

There should be Lab Control Sample and Method Blank results in each preparation batch since this close correspondence makes the QC meaningful. Depending on lab policy, Duplicates need not occur in each batch since they QC sample dependencies such as matrix effects.

- * The RAW TEST column shows the test code used in the raw data to identify a particular analysis if it is different than the test code in the header of the report. This occurs in special cases due to method specific details about how the lab labels work.

The Lab Sample or Planchet ID combined with the (Raw) Test Code and Suffix uniquely identify the raw data for each analysis.

- * If a result is less than both its MDA and RDL, it is replaced by just 'U' on this report. If it is greater than or equal to the RDL but less than the MDA, the result is shown with a 'U' flag.

The J and X flags are as on the data sheet.

- * Non-U results for Method Blanks are underlined to indicate possible contamination of other samples in the preparation batch. The Method Blank Report has supporting data.
- * Lab Control Sample and Matrix Spike results are shown as: ok, No data, LOW or HIGH, with the last two underlined. 'No data'

REPORT GUIDES

Page 12

SUMMARY DATA SECTION

Page 26

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

GUIDE, cont.

Client Hanford
Contract No. 33677
Case no SDG K4771

METHOD SUMMARY

means no amount ADDED was specified. 'LOW' and 'HIGH' correspond to when the recovery is underlined on the Lab Control Sample or Matrix Spike Report. See these reports for supporting data.

- * Duplicate sample results are shown as: ok, No data, or OUT, with the last two underlined. 'No data' means there was no original sample data found for this duplicate. 'OUT' corresponds to when the RPD is underlined on the Duplicate Report. See this report for supporting data.
- * If the MDA column is labeled 'MAX MDA', there was more than one result measured by the reported method and the MDA shown is the largest MDA. If not all these results have the same RDL, the MAX MDA reflects only those results with RDL equal to the smallest one.

MDAs are underlined if greater than the printed RDL.

- * Aliquots are underlined if less than the nominal value specified for the method.
- * Preparation factors are underlined if greater than the nominal value specified for the method.
- * Dilution factors are underlined if greater than the nominal value specified for the method.
- * Residues are underlined if outside the range specified for the method. Residues are not printed if yields are.
- * Yields, which may be gravimetric, radiometric or some type of recovery depending on the method, are underlined if outside the range specified for the method.
- * Efficiencies are underlined if outside the range specified for the method. Efficiencies are detector and geometry dependent so this test is only approximate.

REPORT GUIDES

Page 13

SUMMARY DATA SECTION

Page 27

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

GUIDE, cont.

Client Hanford
Contract No. 33677
Case no SDG_K4771

METHOD SUMMARY

- * Count times are underlined if less than the nominal value specified for the method.
- * Resolutions (as FWHM; Full Width at Half Max) are underlined if greater than the method specified limit.
- * Tracer drifts are underlined if their absolute values are greater than the method specified limit. Tracer drifts are not printed if percent moistures are.
- * Days Held are underlined if greater than the holding time specified in the protocol.
- * Analysis dates are underlined if before their planchet's preparation date or, if a limit is specified, too far after it.

For some methods, ratios as percentages and error estimates for them are computed for pairs of results. A ratio column header like '1+3' means the ratio of the first result column and the third result column.

Ratios are not computed for Lab Control Sample, Method Blank or Matrix Spike results since their matrices are not necessarily similar to client samples'.

The error estimate for a ratio of results from one planchet reflects only counting errors since other errors should be correlated. For a ratio involving different planchets, if QC limits are computed based on total errors, the error for the ratio allows for the preparation errors for the planchets.

The ratio is underlined (out of spec) if the absolute value of its difference from the nominal value is greater than its error estimate. If no nominal value is specified, this test is not done.

For Gross Alpha or Gross Beta results, there may be a column showing the sum of other Alpha or Beta emitters. This sum includes all relevant

REPORT GUIDES

Page 14

SUMMARY DATA SECTION

Page 28

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

DECEMBER 21, 2012

EBERLINE ANALYTICAL - RICHMOND

SAMPLE DELIVERY GROUP H4771

SDG 7052
Contact Joseph Verville

GUIDE, cont.

Client Hanford
Contract No. 33677
Case no SDG_K4771

METHOD SUMMARY

results in the DVD database, whether reported or not. Results in the sum are weighted by a particles/decay value specified by the lab for each relevant analyte. Results less than their MDA are not included. No sums are computed for Lab Control, Method Blank or Matrix Spike samples since their various planchets may not be physically related.

If a ratio of total isotopic to Gross Alpha or Beta is shown, the error for the ratio reflects both the error in the Gross result and the sum, as square root of sum of squares, of the errors in the isotopic results.

For total elemental uranium or thorium results, there may be a column showing the total weight computed from associated isotopic results. Ignoring results less than their MDAs, this is a weighted sum of the isotopic results. The weights depend on the molecular weight and half-life of each isotope so as to convert activities (decays) to weight (atoms).

If a ratio of total computed to measured elemental uranium or thorium is shown, the error for the ratio reflects the errors in all the measurements.

Lab id EBRLNE
Protocol CHPRC
Version Ver 1.0
Form DVD-RG
Version 3.06
Report date 12/21/12

CH2M Hill Plateau Remediation Company		C.O.C.# I13-002-040	
Custody/Sample Analysis Request		Page 1 of 1	
Collector	Robert Crow	Contact/Requester	Karen Waters-Husted
SAF No.	I13-002	Telephone No.	376-4650
Project Title	100KR4(1) NOVEMBER 2012	Purchase Order/Charge Code	300071ES20
Shipped To (Lab)	Eberline Services	Ice Chest No.	GWS-012
Protocol	CERCLA	Bill of Lading/Air Bill No.	79420526 3824
POSSIBLE SAMPLE HAZARDS/REMARKS *** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)		Priority:	30 Days
SPECIAL INSTRUCTIONS 100 Area Generator Knowledge Information Form applies. The CACN for all analytical work at WSCF is 401.647. FY12 and FY13 samples cannot be in the same SDG.		Offsite Property No.	4166
Sample No.	Filter	* Date	Time
B2MRK0	N	11-29-12	1401
B2MRK0	N	11-25-12	1401
No/Type Container	1x20-mL P	Activity Scan	
Sample Analysis	C14_CHEM_LSC: Carbon-14(1)	Holding Time	6 Months
Preservative			None
			None

Relinquished By	Print	Sign	Received By	Print	Sign	Date/Time	1504
Robert Crow	<i>RCrow</i>		SSU #1			NOV 29 2012	
Relinquished By	SSU #1		L.D. Wall			DEC 03 2012	0910
CHPRC			CHPRC				
Relinquished By	L.D. Wall		Received By	FEDEX		DEC 03 2012	1400
CHPRC							
Relinquished By	FEDEX		Received By				
FINAL SAMPLE DISPOSITION	Disposal Method (e.g., Return to customer, per lab procedure, used in process)		Date/Time				


CH2M Hill Plateau Remediation Company		C.O.C. # 113-002-058	
44771 (17052)		Page 1 of 1	
CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST			
Collector	JANELLE ZUNKER	Contact/Requester	Karen Waters-Husted
SAF No.	113-002	Sampling Origin	Hanford Site
Project Title	100KR4(1) NOVEMBER 2012	Logbook No.	HNF-N-506 49187
Shipped To (Lab)	Eberline Services	Method of Shipment	Commercial Carrier
Protocol	CERCLA	Priority:	30 Days
POSSIBLE SAMPLE HAZARDS/REMARKS *** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)		SPECIAL INSTRUCTIONS Hold Time 100 Area Generator Knowledge Information Form applies. The CACN for all analytical work at WSCF is 401647. FY12 and FY13 samples cannot be in the same SDG.	
Sample No.	Filter	Date	Time
B2MRY6	N	11-30-12	1113
B2MRY6	N	11-30-12	1113
No/Type Container	1x20-mL P	Activity Scan	
Sample Analysis	C14_CHEM_LSC: Carbon-14(1)	Holding Time	6 Months
Preservative	None		
		Holding Time	6 Months
		Preservative	None
			None
			None
Telephone No. 376-4650 Purchase Order/Charge Code 300071ES20 Ice Chest No. GWS-012 Bill of Lading/Air Bill No. 7942 05263824 Offsite Property No. 41666		Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	

Relinquished By	JANELLE ZUNKER	Print	<i>Janelle Zunker</i>	Sign		Date/Time	NOV 30 2012
Relinquished By	SM #1	Print		Sign		Date/Time	1415
Relinquished By	L.D. Wall	Print	<i>L.D. Wall</i>	Sign		Date/Time	DEC 03 2012 0910
Relinquished By	CHPRC	Print		Sign		Date/Time	DEC 03 2012 1400
Relinquished By	FEDEX	Print		Sign		Date/Time	
Received By	SM #1	Print		Sign		Date/Time	NOV 30 2012 1415
Received By	L.D. Wall	Print	<i>L.D. Wall</i>	Sign		Date/Time	DEC 03 2012 0910
Received By	CHPRC	Print		Sign		Date/Time	
Received By	FEDEX	Print		Sign		Date/Time	
Received By	J.F. WASTON	Print	<i>J.F. WASTON</i>	Sign		Date/Time	12/04/12 0930
Disposal Method (e.g., Return to customer, per lab procedure, used in process)							
FINAL SAMPLE DISPOSITION							
PRINTED ON	10/10/2012						

CH2MHill Plateau Remediation Company		C.O.C.# I13-002-059 Page 1 of 1	
CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST #44771 (1052)		Telephone No. 376-4650	
Collector JANELLE ZUNKER	Contact/Requester Karen Waters-Husted	Purchase Order/Charge Code 300071ES20	
SAF No. I13-002	Sampling Origin Hanford Site	Ice Chest No. GWS-012	
Project Title 100KR4(1) NOVEMBER 2012	Logbook No. HNF-N-506 49/87	Bill of Lading/Air Bill No. 794205263824	
Shipped To (Lab) Eberline Services	Method of Shipment Commercial Carrier	Offsite Property No. 4166	
Protocol CERCLA	Priority: 30 Days	PRIORITY	
POSSIBLE SAMPLE HAZARDS/REMARKS ** ** Contains Radioactive Material at concentrations that are not regulated for transportation per 49 CFR but are not releasable per DOE Order 5400.5 (1990/1993)		SPECIAL INSTRUCTIONS Hold Time Total Activity Exemption: Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> 100 Area Generator Knowledge Information Form applies. The CACN for all analytical work at WSCF is 401647. FY12 and FY13 samples cannot be in the same SDG.	
Sample No.	Filter *	Date	Time
B2MT02	N	11-30-12	1245
B2MT02	N	11-30-12	1245
No/Type Container	Sample Analysis	Holding Time	Preservative
1x20-mL P	Activity Scan	6 Months	None
1x125-mL G/P	C14_CHEM_LSC: Carbon-14(1)	6 Months	None

Relinquished By JANELLE ZUNKER	Print	Sign	Date/Time	Received By SSW #1	Print	Sign	Date/Time
Relinquished By SSW #1			NOV 30 2012 1415	Received By L.D. Wall			NOV 30 2012 1415
Relinquished By L.D. Wall			DEC 03 2012 0910	Received By CHPRC			DEC 03 2012 0910
Relinquished By CHPRC			DEC 03 2012 1400	Received By FEDEX			DEC 03 2012 1400
Relinquished By FEDEX				Received By Karen Waters-Husted			12/04/12 0930
FINAL SAMPLE DISPOSITION		Disposal Method (e.g., Return to customer, per lab procedure, used in process)		Disposited By		Date/Time	

DECEMBER 21, 2012



RICHMOND, CA LABORATORY
SAMPLE RECEIPT CHECKLIST

Client: CHPRC City METLAND State WA
Date/Time received 12/04/12 0930 CoC No. I13-002-040, 058, 059
Container I.D. No. GWS-017 Requested TAT (Days) 30 P.O. Received Yes [] No []

INSPECTION

1. Custody seals on shipping container intact? Yes [] No [] N/A []
2. Custody seals on shipping container dated & signed? Yes [] No [] N/A []
3. Custody seals on sample containers intact? Yes [] No [] N/A []
4. Custody seals on sample containers dated & signed? Yes [] No [] N/A []
5. Packing material is: Wet [] Dry []
6. Number of samples in shipping container: 3 Sample Matrix _____
7. Number of containers per sample: 2 (Or see CoC _____)
8. Samples are in correct container Yes [] No []
9. Paperwork agrees with samples? Yes [] No []
10. Samples have: Tape [] Hazard labels [] Rad labels [] Appropriate sample labels []
11. Samples are: In good condition [] Leaking [] Broken Container [] Missing []
12. Samples are: Preserved [] Not preserved [] pH <7 / N/A Preservative KNO3
13. Describe any anomalies:

14. Was P.M. notified of any anomalies? Yes [] No [] Date _____
15. Inspected by [Signature] Date: 12/04/12 Time: 1230

Customer Sample No.	Beta/Gamma cpm	Ion Chamber mR/hr	Wipe	Customer Sample No.	Beta/Gamma cpm	Ion Chamber mR/hr	wipe
<u>no steps</u>	<u>250</u>						

Ion Chamber Ser. No. _____ Calibration date _____
Alpha Meter Ser. No. _____ Calibration date _____
Beta/Gamma Meter Ser. No. 100482 Calibration date 06 DEC 11